


for high  
share forces

## PYRAPLEX®

Box width 11,2cm



Item-No.	For wall thickness from mm	Iron Ø mm	Stirrup distance „s“ mm	Box height mm	m/ Bundle	m/ Pallet
BKV0810..	160	8	100	30	7,5	120
BKV0815..	160	8	150	30	7,5	120
BKV0820..	160	8	200	30	7,5	120
BKV1010..	160	10	100	36	7,5	120
BKV1015..	160	10	150	36	7,5	120
BKV1020..	160	10	200	36	7,5	120
BKV1210..	160	12	100	40	7,5	120
BKV1215..	160	12	150	36	7,5	120
BKV1220..	160	12	200	36	7,5	120


Single layer element ø 8mm



Single layer element ø 10mm




Single layer element ø 12mm



## PYRAPLEX®

Stirrup width 9cm, box width 11,2cm



Item-No.	For wall thickness from mm	Iron Ø mm	Stirrup distance „s“ mm	Box height mm	m/ Bundle	m/ Pallet
BKV081009..	160 - 180	8	100	30	7,5	120
BKV081509..	160 - 180	8	150	30	7,5	120
BKV082009..	160 - 180	8	200	30	7,5	120
BKV101009..	160 - 180	10	100	50	7,5	120
BKV101509..	160 - 180	10	150	36	7,5	120
BKV102009..	160 - 180	10	200	36	7,5	120
BKV121509..	160 - 180	12	150	50	7,5	120
BKV122009..	160 - 180	12	200	40	7,5	120

Double layer element ø 8mm, 10mm, 12mm



for high  
share forces

## PYRAPLEX®

Stirrup width 12cm, box width 14,2cm

Item-No.	For wall thickness from mm	Iron Ø mm	Stirrup distance „s“ mm	Box height mm	m/ Bundle	m/ Pallet
BKV081012..	180 - 200	8	100	30	5,0	100
BKV081512..	180 - 200	8	150	30	5,0	100
BKV082012..	180 - 200	8	200	30	5,0	100
BKV101012..	180 - 200	10	100	40	5,0	100
BKV101512..	180 - 200	10	150	36	5,0	100
BKV102012..	180 - 200	10	200	36	5,0	100
BKV121012..	180 - 200	12	100	50	5,0	100
BKV121512..	180 - 200	12	150	36	5,0	100
BKV122012..	180 - 200	12	200	36	5,0	100

Double layer element ø 8mm, 10mm, 12mm




## PYRAPLEX®

Stirrup width 15cm, box width 17,2cm

Item-No.	For wall thickness from mm	Iron Ø mm	Stirrup distance „s“ mm	Box height mm	m/ Bundle	m/ Pallet
BKV081015..	200 - 240	8	100	30	5,0	100
BKV081515..	200 - 240	8	150	30	5,0	100
BKV082015..	200 - 240	8	200	30	5,0	100
BKV101015..	200 - 240	10	100	36	5,0	100
BKV101515..	200 - 240	10	150	36	5,0	100
BKV102015..	200 - 240	10	200	36	5,0	100
BKV121015..	200 - 240	12	100	50	5,0	100
BKV121515..	200 - 240	12	150	36	5,0	100
BKV122015..	200 - 240	12	200	36	5,0	100

Double layer element ø 8mm, 10mm, 12mm



for high  
share forces


## PYRAPLEX®

Stirrup width 18cm, box width 20,2 cm




Item-No.	For wall thickness from mm	Iron Ø mm	Stirrup distance „S“ mm	Box height mm	m/ Bundle	m/ Pallet
BKV081018..	240 - 270	8	100	30	5,0	80
BKV081518..	240 - 270	8	150	30	5,0	80
BKV082018..	240 - 270	8	200	30	5,0	80
BKV101018..	240 - 270	10	100	36	5,0	80
BKV101518..	240 - 270	10	150	36	5,0	80
BKV102018..	240 - 270	10	200	36	5,0	80
BKV121018..	240 - 270	12	100	40	5,0	60
BKV121518..	240 - 270	12	150	36	5,0	60
BKV122018..	240 - 270	12	200	36	5,0	60

Double layer element ø 8mm, 10mm, 12mm



## PYRAPLEX®

Stirrup width 20cm, box width 22,2cm



Item-No.	For wall thickness from mm	Iron Ø mm	Stirrup distance „S“ mm	Box height mm	m/ Bundle	m/ Pallet
BKV081020..	270 - 290	8	100	30	5,0	80
BKV081520..	270 - 290	8	150	30	5,0	80
BKV082020..	270 - 290	8	200	30	5,0	80
BKV101020..	270 - 290	10	100	36	5,0	80
BKV101520..	270 - 290	10	150	36	5,0	80
BKV102020..	270 - 290	10	200	36	5,0	80
BKV121020..	270 - 290	12	100	36	5,0	60
BKV121520..	270 - 290	12	150	36	5,0	60
BKV122020..	270 - 290	12	200	36	5,0	60

Double layer element ø 8mm, 10mm, 12mm

